

Answer Ex-I**SINGLE CORRECT (OBJECTIVE QUESTIONS)**

- | | | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|
| 1. B | 2. D | 3. D | 4. B | 5. C | 6. A | 7. D | 8. B |
| 9. C | 10. B | 11. B | 12. C | 13. A | 14. B | 15. C | 16. C |
| 17. D | 18. A | 19. A | 20. D | 21. A | 22. C | 23. D | 24. B |
| 25. D | 26. D | 27. D | 28. B | 29. B | | | |

Answer Ex-II**MULTIPLE CORRECT (OBJECTIVE QUESTIONS)**

- | | | | | | | | |
|---------|--------|--------|--------|-------|-------|---------|---------|
| 1. ABCD | 2. AD | 3. BD | 4. ABC | 5. AC | 6. BD | 7. ABCD | 8. ABCD |
| 9. AC | 10. CD | 11. BC | | | | | |

Answer Ex-III**SUBJECTIVE QUESTIONS**

- (a) $n\pi + (-1)^n \frac{\pi}{4}, n \in I$ (b) $n\pi + \frac{\pi}{3}, n \in I$ (c) $n\pi - \frac{\pi}{4}, n \in I$

(d) $n\pi + (-1)^n \frac{\pi}{3}, n \in I$ (e) $n\pi \pm \frac{\pi}{4}, n \in I$
- $\frac{m\pi}{4}, m \in I$ or $\frac{(2m+1)\pi}{10}, m \in I$
- $2n\pi \pm \frac{\pi}{3}, n \in I$
- $\left(2n + \frac{1}{2}\right)\frac{\pi}{5}, n \in I$ or $2n\pi - \frac{\pi}{2}, n \in I$
- $\left(n + \frac{1}{2}\right)\frac{\pi}{9}, n \in I$
- $n\pi + \frac{\pi}{3}, n \in I$ or $n\pi + \frac{\pi}{4}, n \in I$
- 45° and 60°
- $n\pi + (-1)^n \frac{\pi}{10}, n \in I$ or $n\pi - (-1)^n \frac{3\pi}{10}, n \in I$
- $\left(n + \frac{1}{4}\right)\frac{\pi}{2}, n \in I$
- $\frac{n\pi}{3}, n \in I$ or $\left(n \pm \frac{1}{3}\right)\pi, n \in I$
- $2n\pi \in I$ or $\frac{2n\pi}{3} + \frac{\pi}{6}, n \in I$
- $30^\circ, 45^\circ, 90^\circ, 135^\circ, 150^\circ$
- $x = (2n + 1)\frac{\pi}{4}, n \in I$ or $x = (2n + 1)\frac{\pi}{2}, n \in I$ or $x = n\pi \pm \frac{\pi}{6}, n \in I$
- $m\pi, m \in I$ or $\frac{m\pi}{n-1}, m \in I$ or $\left(m + \frac{1}{2}\right)\frac{\pi}{n}, m \in I$
- $n\pi + \frac{\pi}{6} + (-1)^n \frac{\pi}{4}, n \in I$
- $2n\pi + \frac{2\pi}{3}, n \in I$
- $2n\pi + \frac{\pi}{2}, n \in I$ or $2n\pi + 2\alpha$ where $\alpha = \tan^{-1} \frac{3}{7}, n \in I$
- $n\pi \pm \frac{\pi}{6}, n \in I$
- $\left(n + \frac{1}{3}\right)\frac{\pi}{3}, n \in I$
- $x = \frac{n\pi}{3} - \frac{\pi}{9}, n \in I$

$$21. \quad \theta = n\pi + \frac{\pi}{4}, \phi = n\pi + (-1)^n \frac{\pi}{6}, n \in I$$

$$24. \quad \theta = \frac{7\pi}{12}, \frac{19\pi}{12}$$

$$26. \quad \phi$$

$$28. \quad x = 2n\pi + \frac{\pi}{6}, n \in I$$

$$30. \quad x = \frac{n\pi}{7} - \frac{\pi}{84} \text{ or } x = \frac{n\pi}{4} - \frac{5\pi}{48}, n \in I$$

$$32. \quad x = 2n\pi \pm \frac{2\pi}{3}, n \in I$$

$$34. \quad x = \pi/6 \text{ only}$$

$$36. \quad A = 15^\circ, B = 30^\circ$$

$$25. \quad x = 2n\pi - \frac{\pi}{2}, n \in I$$

$$27. \quad 30^\circ, 150^\circ, 210^\circ, 330^\circ$$

$$29. \quad 0, \frac{\pi}{6}, \frac{\pi}{3}, \frac{2\pi}{3}, \frac{5\pi}{6} \text{ \& } \pi$$

$$31. \quad \frac{\pi}{8}, \frac{\pi}{3}, \frac{3\pi}{8}, \frac{5\pi}{8}, \frac{2\pi}{3}, \frac{7\pi}{8}$$

$$33. \quad \alpha - 2\pi; \alpha - \pi, \alpha, \alpha + \pi, \text{ where } \tan \alpha = \frac{2}{3}$$

$$35. \quad x = \pi/16$$

Answer Ex-IV**ADVANCED SUBJECTIVE QUESTIONS**

$$1. \quad \frac{90^\circ}{7}, 30^\circ, \frac{450^\circ}{7}, \frac{810^\circ}{7}, 150^\circ, \frac{1170^\circ}{7}$$

$$2. \quad x = -\frac{5\pi}{3}$$

$$3. \quad \theta = 2n\pi \text{ or } 2n\pi + \frac{\pi}{2}; n \in I$$

$$4. \quad x = n - \frac{1}{4}, n \in I; \text{ sum} = 5025$$

$$5. \quad \frac{\pm\pi}{3}, \frac{-\pi}{2}, \pm\pi$$

$$6. \quad -\sqrt{2} \leq y \leq \sqrt{2}; \frac{\pi}{2}, \pi$$

$$7. \quad n\pi + \frac{\pi}{4} \text{ or } (2n+1)\pi - \tan^{-1} 2, n \in I$$

$$8. \quad x = -1, y = n\pi \pm \frac{\pi}{4} + 1$$

$$10. \quad \theta = \frac{2n\pi}{5} \pm \frac{\pi}{10} \text{ or } 2n\pi \pm \frac{\pi}{2}, n \in I$$

$$11. \quad \text{(a)} -\frac{3}{2} \quad \text{(b)} k \in \left[-1, -\frac{1}{2}\right]$$

$$\text{(c)} x = \frac{n\pi}{2} \pm \frac{\pi}{6}$$

$$12. \quad x = 2n\pi \pm \pi \text{ or } 2n\pi + \frac{\pi}{3}, n \in I$$

$$13. \quad \frac{n\pi}{2} \pm \frac{\pi}{4}$$

$$14. \quad n\pi; n\pi + (-1)^n \frac{\pi}{10} \text{ or } n\pi + (-1)^n \left(-\frac{3\pi}{10}\right)$$

$$15. \quad 72^\circ$$

$$16. \quad x = 2n\pi \text{ or } x = n\pi + (-1)^n \left(-\frac{\pi}{2}\right) \text{ or } x = n\pi + (-1)^n \frac{\pi}{6}$$

$$17. \quad n\pi + \frac{\pi}{8} < x < n\pi + \frac{\pi}{4}$$

$$18. \quad \frac{\pi}{7}, \frac{5\pi}{7}, \pi, \frac{9\pi}{7}, \frac{13\pi}{7}$$

19. $n\pi \pm \frac{\pi}{3}$

20. $n\pi + \frac{\pi}{4}, n \in I$

21. $\frac{1}{2} [n\pi + (-1)^n \sin^{-1}(1 - \sqrt{2a+3})]$ where $n \in I$ and $a \in \left[-\frac{3}{2}, \frac{1}{2}\right]$

22. $x = \frac{n\pi}{4} + (-1)^n \frac{\pi}{8}$ or $\frac{n\pi}{4} + (-1)^{n+1} \frac{\pi}{24}$

23. $n\pi \pm \frac{1}{2} \cos^{-1}(2 - \sqrt{5})$

24. $\frac{(2n+1)\pi}{4}, k\pi$, where $n, k \in I$

25. $x = \frac{n\pi}{4} + \frac{\pi}{8}, n \in I$

26. $x = 2n\pi + \frac{3\pi}{4}, n \in I$

27. $\frac{765\pi^2}{4}, \frac{55\pi}{2}$. All the roots of the $\cos \sqrt{x} = 0$ are not the same as those of $\sin \sqrt{x} = -1$

28. $x = \left(4n\pi + \frac{\pi}{2}\right)^2$ or $x = \left(\frac{4n\pi}{3} + \frac{\pi}{2}\right)^2$ where $m, n \in W$

29. $x = \frac{2}{6n\pi + 3\pi - 4}$ or $\frac{2}{3n\pi + 3(-1)^n \sin^{-1} \frac{3}{4} - 2}$ where $n \in I$

30. $x = n\pi$ or $x = n\pi \pm \frac{\pi}{6}$

31. $x \pm 5\sqrt{5}$ & $y = n\pi + \tan^{-1} \frac{1}{2}$

32. $x = \frac{\pi}{8} + \frac{K\pi}{2}$ or $x = \frac{3\pi}{4} + K\pi, K \in I$

Answer Ex-V**JEE PROBLEMS**

1. Min. value = 3^{-5} for $x = (4n - 1)\frac{\pi}{4} - \frac{1}{2} \tan^{-1} \frac{3}{4}, n \in I$;

max. value = 3^5 for $x = (4n + 1)\frac{\pi}{4} - \frac{1}{2} \tan^{-1} \frac{3}{4}, n \in I$

2. $x = n\pi + (-1)^n \frac{\pi}{6}$ and $y = m\pi \pm \frac{\pi}{6}$ where m & n are integers.

3. B

4. D

5. A

6. C

7. C, D

8. 3

9. 3

10. D